2000 ORDERING SUPPLEMENT
MIDDLE EAST

0smid43g

REQUIRED ALL MID-EAST ORDERS		
RPO	**DESCRIPTION**	
EXP	Processing Option: GMODC, Export	X
K02	Radiator Booster Fan (**Required** with L31 & C60)	X
K47	Air Cleaner: High Capacity	X
K53	Fuel Sender, Robust Fuel System	X
NG1	Emissions System Tier 1	X
NM8	Leaded Fuel Provisions: **Gas Engines** Only	X
R6K	Processing Option – Middle East	X
T62	Daytime Running Lights - Delete	X
UC2	Speedometer: Kilo/Miles, Kilo Odometer, Positive Bias	X
UD4	Speed Warning Device	X
V87	Complete Vehicle Label	X
VC5	Shipping Label	X
VK3	Front License Plate Bracket	X
VPH	Export Vehicle Preparation – Includes (BAG) Export Parts Package, (VR6) Tie Down Hook, (V76) Tow Hook	X
Z5X	Mirror: Outside, Rearview with Arabic Language Warning	X

MUST ORDER UL5 OR UL2		
UL5	Radio Delete – **Not Available** with YE9	A
UL0	Radio: Am/FM Stereo, Seek/Scan, Cassette, Clock ETR – **Requires** UL2	A
UL2	Radio Frequency: Europe – **Requires** UL0	A

MODEL AND POWERTRAIN AVAILABILITY				
MODEL	**DESCRIPTION**	**ENG**	**DISPL.**	**TRANS.**
TC30903	Regular Cab Pickup	L31	5.7L V8	MT1/MW3
		L65	6.5L Diesel	MT1/MW3
TC30943	Crew Cab Pickup	L31	5.7L V8	MT1/MW3
		L65	6.5L Diesel	MT1/MW3
TK30903	Regular Cab Pickup	L31	5.7L V8	MT1/MW3
		L65	6.5L Diesel	MT1/MW3
TK30943	Crew Cab Pickup	L31	5.7L V8	MT1/MW3
		L65	6.5L Diesel	MT1/MW3

EXPORT RESTRICTIONS:	
AJ1	Deep Tinted Glass – **Not Available**
DF2	Mirrors, Exterior – **Not Available**
Z82	Trailering Special Equipment – **Not Available**
***	Special Equipment Mirrors, Exterior – **Not Available**

REGULAR CAB PICKUP

8 FOOT CARGO BOX 2 WHEEL DRIVE	C30903
8 FOOT CARGO BOX 4 WHEEL DRIVE	K30903

EXTENDED-CAB PICKUP

8 FOOT CARGO BOX 2 WHEEL DRIVE	C30953
8 FOOT CARGO BOX 4 WHEEL DRIVE	K30953

CREW CAB PICKUP

6.5 FOOT CARGO BOX 2 WHEEL DRIVE	C30743
6.5 FOOT CARGO BOX 4 WHEEL DRIVE	K30743
8 FOOT CARGO BOX 2 WHEEL DRIVE	C30943
8 FOOT CARGO BOX 4 WHEEL DRIVE	K30943

"STEP by STEP"

STEP #1:	SELECT	MODEL CODE Review Standard Equipment
STEP #2:	SELECT	PREFERRED EQUIPMENT GROUP AND IDENTIFY SELECT-A-UNIT CODE
STEP #3:	SELECT	POWER TEAM REQUIREMENTS
STEP #4:	SELECT	ADDITIONAL OPTIONS
STEP #5:	SELECT	COLOR ,TRIM AND PAINT APPLICATION CODE

2000 LIGHT DUTY TRUCKS

STEP #1: SELECT MODEL CODE – Review Standard Equipment

SAFETY/SECURITY	ZE5	YE9
Lights: Daytime running lights; centre high mounted stop lamps	S	S
Passlock™Security System	S	S
Side Guard Door Beams	S	S
Single Two-Sided Key: Common key to operate ignition and doors	S	S
EXTERIOR		
Antilock Brakes: ABS 4 Wheel	S	S
Bumper: Front, chrome (C/K30903, C/K30953)	S	---
Front, chrome deluxe with rub strip (C/K30903, C/K30953)	---	S
Front, chrome deluxe with rub strip (C/K30743, C/K30943)	S	S
Rear step (painted - ZE5; chrome with rub strip - YE9)	S	S
Glass: Solar-Ray™ tinted; all windows	S	S
Grille: Moulded plastic; painted argent; integral GMC letters at centre of grille (YE9 has chrome trim)	S	S
Headlamps: Two, rectangular halogen (ZE5); Four, composite with halogen bulbs (YE9)	S	S
Horn: Single; electric low note (ZE5); Dual; electric high/low note (YE9)	S	S
Insulators: Cab-to-fender; hood	---	S
Lamps, Roof Marker: Five (C/K30743, C/K30953)	S	S
Lights: Backup lamps, Combination Parking/Direction/Hazard, Combination Tail/Stop/Direction/Hazard, Headlamps, License Plate lamp, Side Marker lamps with reflectors, cargo lamp, underhood lamp	S	S
Mirrors, Exterior: Black. Below eye-line type. Fold-away	S	S
Electric Remote Control	---	S
Mouldings: Black hidden roof drip mouldings	S	S
Bright body side mouldings (C/K30903). Bright wheel opening mouldings (C30903)	---	S
Painted wheel opening flare mouldings (K30953-front only; K30903)	S	S
Bright body side mouldings and wheel opening mouldings (C30943)	S	S
Bright body side mouldings and painted wheel opening flare mouldings (K30943)	S	S
Nameplates: 'SL' nameplate on B pillar. Series designation nameplate on front doors	S	---
'SLE' on B pillar ('SLT' with 1SD). Series designation nameplate on front doors.	---	S
4 x 4 decals at rear of pickup box side panels (K30743, K30903, K30953, K30943)	S	S
"Sierra" nameplate on lower left of tailgate. "GMC" nameplate on lower right of tailgate	S	S
Pickup Box: All steel double sidewall and tailgate construction, painted body color. 2.4 m (8 ft) box length	S	S
Spare Tire Carrier: Winch-type mounted under the frame in the rear	S	S
Tow Hooks: Two, front mounted at the front of each frame side member (K30743, K30903, K30953, K30943)	S	S
Wheel Trim: Black ornamental hub caps (ZE5); Rally trim rings and bright hub caps (YE9)	S	S
Window: Swing-out rear quarter vent (C/K30953)	S	S
Windshield Wipers and Washers: Intermittent wiper system. Demand-type washer system	S	S
Wiring Harness, Trailer: Heavy duty, 8-lead	S	S
INTERIOR		
Air Conditioning	---	S
Armrests: Left hand and right hand padded; integral with door trim panels	S	S
Assist Handle: Front passenger side, mounted on pillar; color-keyed	S	S
Rear both sides, mounted on pillar; color-keyed (C/K30743, C/K30943)	S	S
Convenience Group: Power locks, tilt wheel, speed control, power windows with express down feature on driver's window (C/K30743, C/K30943 also has lock-out feature on driver's window)	---	S
Defogger: Windshield and side window defoggers	S	S
Door Trim Panels: Color-keyed grained moulded plastic (ZE5); Soft vinyl with carpet covered map pocket and cloth insert (YE9)	S	S
Floor Covering: Color-keyed vinyl	S	---
Color-keyed carpeting with removable front mats	---	S
Rear mats (C/K30743, C/K30943, C/K30953)	---	S
Gauges: Analog needle design. Speedometer, odometer, fuel level, voltmeter, temperature, oil pressure, tachometer	S	S
Headlamps-On and Key-In-Ignition Warning Buzzers	S	S
Headliner: Full color-keyed cloth	S	S
Heater: Rear seat heater ducts (C/K30743, C/K30943)	S	S
Instrument Panel: Color-keyed, energy-absorbing foam type with grained vinyl skin; two auxiliary power outlets with spring loaded doors; cigarette lighter; dual cup holders	S	S
Passenger side open storage bin	S	S
Insulator: Cab back panel	---	S
Lights: Dome with map reading lights. Left hand and right hand door jamb switches (C/K30903, C/K30953)	S	S
Front and rear dome lamps with two map reading lights each. Door jamb switches on all four doors (C/K30743, C/K30943)	S	S
Instrument cluster and cab interior lights; underdash courtesy, ashtray and glove box. Dome lamps incorporate a 20 second delay-off feature	S	S
Mirror, Rearview: 254 mm (10") prismatic with soft vinyl rim	S	---
254 mm (10") prismatic with soft vinyl rim (C/K30903, C/K30953)	---	S
254 mm (10") Light Sensitive. Mirror automatically adjusts to reduce night time glare and includes a continually recalibrating 8 point compass system (C/K30743, C/K30943)	---	S

S Standard

STEP #1: SELECT MODEL CODE – Review Standard Equipment

INTERIOR	ZE5	YE9
Radio Equipment: Electronically Tuned AM/FM Stereo with Seek-Scan and Digital Clock. Includes fixed mast antenna and four speakers (2 - front doors; 2 - rear pillar)	S	S
Seats: Full-width front bench. Full-depth foam seat cushion with folding backrest (C/K30903)	S	S
Full-width front bench. Full-depth foam seat cushion with folding backrest. Folding rear bench seat (C/K30743)	S	S
Split front bench with folding backrests. Left hand and right hand easy entry (C/K30953)	S	S
Folding rear bench seat (C/K30953)	---	S
Full-width front bench with fixed back. Folding rear bench seat (C/K30943)	S	S
Power driver lumbar and seat back storage nets on front seat. Fold-down centre armrest storage compartment incorporating a coin holder, map net in lid and a writing board in both seats (C/K30943)	---	S
Head restraints, adjustable on all outboard seats	S	S
Steering Wheel and Column: Black energy absorbing steering column with anti-theft locking feature	S	S
Simulated leather sport wheel with four spokes	S	---
Leather wrapped sport wheel with four spokes	---	S
Sunshades: Cloth covered with left hand storage strap and right hand visor mirror C/K30903, C/K30953	S	S
Cloth covered with left hand storage strap and right hand visor mirror C/K30743, C/K30943	S	---
Cloth covered with left hand storage strap and right hand visor mirror with extenders C/K30743, C/K30943	---	S
Tools: Mechanical jack and wheel wrench located in a storage compartment behind the seat	S	S

S Standard

STEP #2: SELECT PREFERRED EQUIPMENT GROUP AND IDENTIFY SELECT-A-UNIT

REFER TO GENERAL INFORMATION SECTION FOR HOW TO ORDER INFORMATION WHEN CHANGING POWERTRAIN

NOTE: SEE POWER TEAM CHARTS FOR CORRECT UPGRADES COMPATIBILITY

		SELECT-A-UNIT CODES			
		SIERRA SL		SIERRA SLE	SIERRA SLT
OPTION DESCRIPTION	OPTION CODE	1	2	3	4
PREFERRED EQUIPMENT GROUPS	---	1SA	1SB	1SC	♦1SD
MODEL OPTION: Sierra SL	ZE5	X	X		
BODY ORDERING CODE: Wideside	E63	X	X	X	X
Engine: 5700 SFI V8(C/K30903, C/K30953, C/K30943)	L31	U	U	U	U
Engine: 7400 SFI V8 (C/K30743)	L29	U	U	U	U
Transmission: 5 Speed Manual with overdrive	MW3	U	U	U	U
GVWR: 4082 kg (9000 lb) (C30903, C30943)	C6U	U	U	U	U
GVWR: 4173 kg (9200 lb) (K30903, K30943)	C6W	U	U	U	U
GVWR: 4264 kg (9400 lb) (C/K30743)	C6E	X	X	X	X
GVWR: 4536 kg (10000 lb) (C/K30953)	C7A	X	X	X	X
Axle, Rear: 4.10 Ratio	GT5	U	U	U	U
Tires: LT245/75R-16/E ALS Blackwall (C/K30903, C/K30943)	YHH	U	U	U	U
Tires: LT225/75R-16/D ALS Blackwall (C/K30743, C/K30953)	YHP	U	U	U	U
Seat: Front Bench (C/K30903, C/K30743, C/K30943)	A52	X	X	U	
Seat: Split Bench w/Leather Trim (C/K30903, C/K30743, C/K30943)	AE7				U
Seat: Split Front Bench (C/K30953)	AE7	X	X	U	
Seat: Front High Back Reclining Buckets with Leather Trim (Includes folding rear bench seat and front floor console) (C/K30953)	A95				U
Wheels, Rear: Dual (C/K30743, C/K30953)	---	X	X	X	X
Wheels, Rear: Single (C/K30903, C/K30943)	R04	U	U	U	U
Air Conditioning	C60		X	S	S
Grille: Chrome	V22		X	S	S
Wheel Trim: Rally Trim Rings with Bright Hub Caps	P06		X	S	S
MODEL OPTION: Sierra SLE/SLT	YE9			X	X
Keyless Entry, Remote	AU0				X
Mirror, Rearview: Interior Light Sensitive	DD7				X
Seat Adjuster, Power: 6 Way. Driver's Side (C/K30743, C/K30943, C/K30953)	AG9				X

♦ **Requires Leather Trim Code 132, 262 or 522. Leather is on seating surfaces only**
X **Option Included in Select-A-Unit. DO NOT DELETE**
U **Option Included in Select-A-Unit and May Be Deleted Is Substitute Option Is Specified**
S **Standard**

2000 LIGHT DUTY TRUCKS

STEP #2: SELECT PREFERRED EQUIPMENT GROUP AND IDENTIFY SELECT-A-UNIT CODE

Description	Model Code	Model Option	Select-A-Unit Code	Option Code

REGULAR CAB PICKUP – 2 WHEEL DRIVE

SIERRA SL				
Model Price	**C30903**	**ZE5**	**1**	**1SA**
Preferred Equipment Group Price	C30903	ZE5	2	1SB #
SIERRA SLE/SLT #				
Model Price	**C30903**	**YE9**	**3**	**1SC**
Preferred Equipment Group Price	C30903	YE9	4	1SD

EXTENDED-CAB PICKUP – 2 WHEEL DRIVE

SIERRA SL				
Model Price	**C30953**	**ZE5**	**1**	**1SA**
Preferred Equipment Group Price	C30953	ZE5	2	1SB #
SIERRA SLE/SLT #				
Model Price	**C30953**	**YE9**	**3**	**1SC**
Preferred Equipment Group Price	C30953	YE9	4	1SD

CREW CAB PICKUP – 2 WHEEL DRIVE

SIERRA SL				
Model Price	**C30743**	**ZE5**	**1**	**1SA**
Preferred Equipment Group Price	C30743	ZE5	2	1SB #
SIERRA SLE/SLT #				
Model Price	**C30743**	**YE9**	**3**	**1SC**
Preferred Equipment Group Price	C30743	YE9	4	1SD

CREW CAB PICKUP – 2 WHEEL DRIVE

SIERRA SL				
Model Price	**C30943**	**ZE5**	**1**	**1SA**
Preferred Equipment Group Price	C30943	ZE5	2	1SB #
SIERRA SLE/SLT #				
Model Price	**C30943**	**YE9**	**3**	**1SC**
Preferred Equipment Group Price	C30943	YE9	4	1SD

STEP #2: SELECT PREFERRED EQUIPMENT GROUP AND IDENTIFY SELECT-A-UNIT CODE

Description	Model Code	Model Option	Select-A-Unit Code	Option Code

REGULAR CAB PICKUP – 4 WHEEL DRIVE

SIERRA SL				
Model Price	**K30903**	**ZE5**	**1**	**1SA**
Preferred Equipment Group Price	K30903	ZE5	2	1SB #
SIERRA SLE/SLT #				
Model Price	**K30903**	**YE9**	**3**	**1SC**
Preferred Equipment Group Price	K30903	YE9	4	1SD

EXTENDED-CAB PICKUP – 4 WHEEL DRIVE

SIERRA SL				
Model Price	**K30953**	**ZE5**	**1**	**1SA**
Preferred Equipment Group Price	K30953	ZE5	2	1SB #
SIERRA SLE/SLT #				
Model Price	**K30953**	**YE9**	**3**	**1SC**
Preferred Equipment Group Price	K30953	YE9	4	1SD

CREW CAB PICKUP – 4 WHEEL DRIVE

SIERRA SL				
Model Price	**K30743**	**ZE5**	**1**	**1SA**
Preferred Equipment Group Price	K30743	ZE5	2	1SB #
SIERRA SLE/SLT #				
Model Price	**K30743**	**YE9**	**3**	**1SC**
Preferred Equipment Group Price	K30743	YE9	4	1SD

CREW CAB PICKUP – 4 WHEEL DRIVE

SIERRA SL				
Model Price	**K30943**	**ZE5**	**1**	**1SA**
Preferred Equipment Group Price	K30943	ZE5	2	1SB #
SIERRA SLE/SLT #				
Model Price	**K30943**	**YE9**	**3**	**1SC**
Preferred Equipment Group Price	K30943	YE9	4	1SD

2000 LIGHT DUTY TRUCKS

STEP #3: SELECT POWER TEAM REQUIREMENTS

Engine, Transmission, Axle Ratio and GVWR Code Must Be Specified

C30903

					Single Rear Wheels	Dual Rear Wheels	
				GVWR Code kgs lbs	C6U 4082 9000	C7A 4536 10000	
				Axle Ratio	4.10	4.10	◆4.56
Engine Type	Displace-ment	Fuel System	Net HP	Transmission Type	Axle Ratio Codes		
L31 V8	5.7 Litre 350 Cu. In.	SFI	%255 @ 4600	MW3 - 5 Spd Manual w/overdrive	GT5	GT5	---
				MT1 - Automatic with overdrive	GT5	GT5	◆HC4
L29 V8	7.4 Litre 454 Cu. In.	SFI	290 @ 4000	MW3 - 5 Spd Manual w/overdrive	GT5	GT5	◆HC4
				MT1 - Automatic with overdrive	GT5	GT5	◆HC4
L65 V8	6.5 Litre 395 Cu. In.	Turbo Diesel	195 @ 3400	MW3 - 5 Spd Manual w/overdrive	GT5	GT5	---
				MT1 - Automatic with overdrive	GT5	GT5	---

K30903

					Single Rear Wheels	Dual Rear Wheels	
				GVWR Code kgs lbs	C6W 4173 9200	C7A 4536 10000	
				Axle Ratio	4.10	4.10	◆4.56
Engine Type	Displace-ment	Fuel System	Net HP	Transmission Type	Axle Ratio Codes		
L31 V8	5.7 Litre 350 Cu. In.	SFI	%255 @ 4600	MW3 - 5 Spd Manual w/overdrive	GT5	GT5	---
				MT1 - Automatic with overdrive	GT5	GT5	---
L29 V8	7.4 Litre 454 Cu. In.	SFI	290 @ 4000	MW3 - 5 Spd Manual w/overdrive	GT5	GT5	◆HC4
				MT1 - Automatic with overdrive	GT5	GT5	◆HC4
L65 V8	6.5 Litre 395 Cu. In.	Turbo Diesel	195 @ 3400	MW3 - 5 Spd Manual w/overdrive	GT5	GT5	---
				MT1 - Automatic with overdrive	GT5	GT5	---

◆ **Requires G80**

% **Net Horsepower is 250 @ 4200 when C7A is specified**

STEP #3: SELECT POWER TEAM REQUIREMENTS

Engine, Transmission, Axle Ratio and GVWR Code Must Be Specified

C30953

					Dual Rear Wheels	
				GVWR Code kgs lbs	C7A 4536 10000	
				Axle Ratio	4.10	◆4.56
Engine Type	Displace-ment	Fuel System	Net HP	Transmission Type	Axle Ratio Codes	
L31 V8	5.7 Litre 350 Cu. In.	SFI	250 @ 4200	MW3 - 5 Spd Manual w/overdrive	GT5	◆HC4
				MT1 - Automatic with overdrive	GT5	◆HC4
L29 V8	7.4 Litre 454 Cu. In.	SFI	290 @ 4000	MW3 - 5 Spd Manual w/overdrive	GT5	◆HC4
				MT1 - Automatic with overdrive	GT5	◆HC4
L65 V8	6.5 Litre 395 Cu. In.	Turbo Diesel	195 @ 3400	MW3 - 5 Spd Manual w/overdrive	GT5	---
				MT1 - Automatic with overdrive	GT5	---

K30953

					Dual Rear Wheels	
				GVWR Code kgs lbs	C7A 4536 10000	
				Axle Ratio	4.10	◆4.56
Engine Type	Displace-ment	Fuel System	Net HP	Transmission Type	Axle Ratio Codes	
L31 V8	5.7 Litre 350 Cu. In.	SFI	250 @ 4200	MW3 - 5 Spd Manual w/overdrive	GT5	---
				MT1 - Automatic with overdrive	GT5	---
L29 V8	7.4 Litre 454 Cu. In.	SFI	290 @ 4000	MW3 - 5 Spd Manual w/overdrive	GT5	◆HC4
				MT1 - Automatic with overdrive	GT5	◆HC4
L65 V8	6.5 Litre 395 Cu. In.	Turbo Diesel	195 @ 3400	MW3 - 5 Spd Manual w/overdrive	GT5	---
				MT1 - Automatic with overdrive	GT5	---

◆ **Requires G80**

2000 LIGHT DUTY TRUCKS

STEP #3: SELECT POWER TEAM REQUIREMENTS

Engine, Transmission, Axle Ratio and GVWR Code Must Be Specified

C30743

					Dual Rear Wheels	
				GVWR Code kgs lbs	C6E 4264 9400	
				Axle Ratio	4.10	◆4.56
Engine Type	Displace-ment	Fuel System	Net HP	Transmission Type	Axle Ratio Codes	
L29 V8	7.4 Litre 454 Cu. In.	SFI	290 @ 4000	MW3 - 5 Spd Manual w/overdrive	GT5	◆HC4
				MT1 - Automatic with overdrive	GT5	◆HC4

K30743

					Dual Rear Wheels	
				GVWR Code kgs lbs	C6E 4264 9400	
				Axle Ratio	4.10	◆4.56
Engine Type	Displace-ment	Fuel System	Net HP	Transmission Type	Axle Ratio Codes	
L29 V8	7.4 Litre 454 Cu. In.	SFI	290 @ 4000	MW3 - 5 Spd Manual w/overdrive	GT5	◆HC4
				MT1 - Automatic with overdrive	GT5	◆HC4

C30943

					Single Rear Wheels		Dual Rear Wheels	
				GVWR Code kgs lbs	C6U 4082 9000	■ C6Y 4355 9600	C7A 4536 10000	
				Axle Ratio	4.10	4.10	4.10	◆4.56
Engine Type	Displace-ment	Fuel System	Net HP	Transmission Type	Axle Ratio Codes			
L31 V8	5.7 Litre 350 Cu. In.	SFI	%255 @ 4600	MW3 - 5 Spd Manual w/overdrive	GT5	■ GT5	GT5	◆HC4
				MT1 - Automatic w/overdrive	GT5	■ GT5	GT5	◆HC4
L29 V8	7.4 Litre 454 Cu. In.	SFI	290 @ 4000	MW3 - 5 Spd Manual w/overdrive	GT5	■ GT5	GT5	◆HC4
				MT1 - Automatic w/overdrive	GT5	■ GT5	GT5	◆HC4
L65 V8	6.5 Litre 395 Cu. In.	Turbo Diesel	195 @ 3400	MW3 - 5 Spd Manual w/overdrive	GT5	■ GT5	GT5	---
				MT1 - Automatic w/overdrive	GT5	■ GT5	GT5	---

K30943

					Single Rear Wheels	Dual Rear Wheels	
				GVWR Code kgs lbs	C6W 4173 9200	C7A 4536 10000	
				Axle Ratio	4.10	4.10	◆4.56
Engine Type	Displace-ment	Fuel System	Net HP	Transmission Type	Axle Ratio Codes		
L31 V8	5.7 Litre 350 Cu. In.	SFI	%255 @ 4600	MW3 - 5 Spd Manual w/overdrive	GT5	GT5	◆HC4
				MT1 - Automatic w/overdrive	GT5	GT5	◆HC4
L29 V8	7.4 Litre 454 Cu. In.	SFI	290 @ 4000	MW3 - 5 Spd Manual w/overdrive	GT5	GT5	◆HC4
				MT1 - Automatic w/overdrive	GT5	GT5	◆HC4
L65 V8	6.5 Litre 395 Cu. In.	Turbo Diesel	195 @ 3400	MW3 - 5 Spd Manual w/overdrive	GT5	GT5	---
				MT1 - Automatic w/overdrive	GT5	GT5	---

■ **Requires Z81**
% **Net Horsepower is 250 @ 4200 when C7A is specified**
◆ **Requires G80**

STEP #4: SELECT ADDITIONAL OPTIONS

Description	Option Code

ENGINES: Refer to Power Teams Charts for compatibility.

Vortec 5700 Sequential Fuel Injection (SFI) V8.
Optional with: ..... C/K30903, C/K30943, C/K30953 ..... L31

Vortec 7400 Sequential Fuel Injection (SFI) V8. **Requires** F60 on K30903, K30953. Includes extra capacity engine oil cooling and 124 amp alternator L29

6.5 Litre (395 Cu. In.) Turbo Diesel V8. **Requires** F60 on K30903, K30953. Includes an external engine oil cooler, heavy duty radiator, fuel heater, dual batteries, glow plugs, low coolant warning light and a water drain. Includes front bumper guards with YE9 or VG3. Includes front bumper guards on C/K30943.
Optional with: ..... C/K30903, C/K30943, C/K30953 ..... L65

TRANSMISSIONS: Refer to Power Teams Charts for transmission availability.

5-Speed Manual with overdrive. New Venture Gear. 109 mm. 5.61 Low MW3
4-Speed Automatic with overdrive. 4L80E. Includes brake transmission shift interlock and extra capacity transmission cooling, providing an external air-to-oil cooling system MT1

GVWR: Refer to Power Teams Charts for GVWR availability.

4264 kg (9400 lb).
Optional with: ..... C/K30743 ..... C6E
4082 kg (9000 lb). **Requires** R04.
Optional with: ..... C30903, C30943 ..... C6U
4173 kg (9200 lb). **Requires** R04.
Optional with: ..... K30903, K30943 ..... C6W
4355 kg (9600 lb). **Requires** R04 and Z81.
Optional with: ..... C30943 ..... C6Y
4536 kg (10000 lb). **Requires** R05 (except on C/K30743, C/K30953) C7A

AXLES, REAR: Refer to Power Teams Charts for axle ratio availability.

4.10 Ratio. Includes extra capacity engine oil cooling GT5
4.56 Ratio. Includes extra capacity engine oil cooling. **Requires** G80 ..... HC4
Locking Differential G80

TIRES:

C/K30743

LT225/75R-16/D All Seasons Blackwall - Front, Rear and Spare ..... YHP
LT225/75R-16/D Blackwall – All Seasons Front, On-Off Rear and Spare.
Optional with: ..... C30743 ..... YHR
LT225/75R-16/D On-Off Road Blackwall Front, Rear and Spare.
Optional with: ..... K30743 ..... YHR
LT215/85R-16/D Highway Blackwall - Front, Rear and Spare ..... YYK
LT215/85R-16/D On-Off Road Blackwall - Front, Rear and Spare. **Requires** F60.
Optional with: ..... K30743 ..... YYL

C30903, C30943 (Requires R04 and C6U or C6Y)
K30903, K30943 (Requires R04 and C6W)

LT245/75R-16/E All Seasons Blackwall Steel Belted Radial
Front, Rear and Spare ..... YHH
LT245/75R-16/E Blackwall Steel Belted Radial
All Seasons Front, On-Off Road Rear, On-Off Road Spare.
Optional with: ..... C30903, C30943 ..... YGK
On-Off Road Front, Rear and Spare.
Optional with: ..... K30903, K30943 ..... YGK

C30903, C30953, C30943 (Requires R05 and C7A)

LT215/85R-16/D Highway Blackwall - Front, Rear and Spare ..... YYK
LT225/75R-16/D ALS Blackwall - Front, Rear and Spare ..... YHP
LT225/75R-16/D Blackwall – All Seasons Front; On-Off Road Rear and Spare ..... YHR

K30903, K30953, K30943 (Requires R05 and C7A)

LT215/85R-16/D Highway Blackwall - Front, Rear and Spare ..... YYK
LT215/85R-16/D On-Off Road Blackwall - Front, Rear and Spare. **Requires** F60 ..... YYL
LT225/75R-16/D ALS Blackwall Front, Rear and Spare ..... YHP
LT225/75R-16/D On-Off Road Blackwall Front, Rear and Spare ..... YHR

2000 LIGHT DUTY TRUCKS

STEP #4: SELECT ADDITIONAL OPTIONS

Description	Option Code

SEATS AND SEAT TRIM:

C/K30903

Front Bench. With 'D' or '2' Leather Trim includes seat back storage nets and a fold-down centre armrest storage compartment incorporating a coin holder, map net in lid and a writing board. With '2' Leather Trim includes power adjustable lumbar on driver and passenger sides. With 'D' Trim includes power adjustable lumbar on driver side only.

Optional with: 'V' Trim....SAU 1, 2 or 3....A52
'C' Trim....SAU 1 or 2....A52
'D' Trim....SAU 3....A52
'2' Leather Trim....SAU 4....A52

Split Front Bench. Includes manual seat back recliners, seat back storage nets and a fold-down centre armrest storage compartment incorporating a coin holder, map net in lid and a writing board. With '2' Leather Trim includes power adjustable lumbar on driver and passenger sides. With 'D' Trim includes power adjustable lumbar on driver side only.

Optional with: 'D' Trim....SAU 3....AE7
'2' Leather Trim....SAU 4....AE7

Front High Back Reclining Buckets with inboard armrests and console (console includes a removable cup holder for front seating position). Includes power adjustable lumbar on driver side.

Optional with: 'D' Trim....SAU 3....A95

C/K30953

Split Front Bench. Includes manual seat back recliners and easy entry feature on passenger side. Includes easy entry feature on driver side unless AG9 is specified. With YE9 includes AM7. With 'D' or '2' Leather Trim includes seat back storage nets and a fold-down centre armrest storage compartment incorporating a coin holder, map net in lid and a writing board. With '2' Leather Trim includes power adjustable lumbar on driver and passenger sides. With 'D' Trim includes power adjustable lumbar on driver side only.

Optional with: 'V' Trim....SAU 1, 2 or 3....AE7
C' Trim....SAU 1 or 2....AE7
'D' Trim....SAU 3....AE7
'2' Leather Trim....SAU 4....AE7

Front High Back Reclining Buckets with inboard armrests. Includes floor console with rear seat cup holders and a removable cup holder for front seating position, overhead centre mounted console with dual reading lamps and two storage compartments, easy entry feature on passenger side, and seat back storage nets. Includes AM7. With '2' Leather Trim includes power adjustable lumbar on driver and passenger sides. With 'D' Trim includes power adjustable lumbar on driver side only. Includes easy entry feature on driver side unless AG9 is specified.

Optional with: 'D' Trim....SAU 3....A95
'2' Leather Trim....SAU 4....A95

Rear Folding Seat. **Requires** AE7 and ZE5. Included with A95.

Optional with: 'V' Trim....SAU 1 or 2....AM7
'C' Trim....SAU 1 or 2....AM7

C/K30743, C/K30943

Front Bench. With 'D' or '2' Leather Trim includes seat back storage nets and a fold-down centre armrest storage compartment incorporating a coin holder, map net in lid and a writing board. With '2' Leather Trim includes power adjustable lumbar on driver and passenger sides. With 'D' Trim includes power adjustable lumbar on driver side only. **Deletes** AG9 With YE9 and SAU 4.

Optional with: 'V' Trim....SAU 1 or 2....A52
'D' Trim....SAU 3....A52
'2' Leather Trim....SAU 4....A52

Split Front Bench. Includes manual seat back recliners, seat back storage nets and a fold-down centre armrest storage compartment incorporating a coin holder, map net in lid and a writing board. With '2' Leather Trim includes power adjustable lumbar on driver and passenger sides. With 'D' Trim includes power adjustable lumbar on driver side only.

Optional with: 'D' Trim....SAU 3....AE7
'2' Leather Trim....SAU 4....AE7

Front High Back Reclining Buckets with inboard armrests. Includes floor console with rear seat cup holders and a removable cup holder for front seating position, overhead centre mounted console with dual reading lamps and two storage compartments, and seat back storage nets. With '2' Leather Trim includes power adjustable lumbar on driver and passenger sides. With 'D' Trim includes power adjustable lumbar on driver side only. **Deletes** standard fold-down centre armrest in front seat.

Optional with: 'D' Trim....SAU 3....A95
'2' Leather Trim....SAU 4....A95

STEP #4: SELECT ADDITIONAL OPTIONS

Description	Option Code

WHEELS, DUAL: Rear. **Requires** C7A. Included on C/K30953, C/K30743. Includes U01.
Deletes body side and wheel opening mouldings on C30903, C30943.
Deletes body side and rear wheel opening flare mouldings on K30903, K30943.
Optional with: ..... C/K30903, C/K30943..... R05

AIR CLEANER: High Capacity..... K47

AIR CONDITIONING: All Weather. Included with YE9. Includes increased capacity cooling.
Optional with: ..... SAU 1..... C60

BATTERY: Heavy Duty Auxiliary. **Requires** L31 or L29. Included with Z81 (with L31 or L29)..... TP2

BEDLINER, PICKUP BOX: Under Rail Design..... BZY

BUMPER EQUIPMENT:
Bumper, Chrome. Front Deluxe with Rub Strip. Included with YE9. Included on C/K30743, C/K30943.
Optional with: ..... SAU 1 or 2 on C/K30903, C/K30953..... VG3
Bumper, Chrome. Rear Step with Rub Strip. **Requires** VG3 on C/K30903, C/K30953. Included with YE9.
Optional with: ..... SAU 1 or 2..... VB3
Bumper Delete. **Not Available** with Z82. **Deletes** standard rear step bumper..... EF1

CAMPER SPECIAL CHASSIS EQUIPMENT: Requires C6Y on C30943. **Not Available** on C/K30743, K30943. Includes DF2 and camper wiring harness. Includes TP2 with L31 or L29. **Deletes** standard exterior electric remote control mirror on YE9..... Z81

COLD CLIMATE PACKAGE: Includes engine block heater. Includes cab back panel insulator. **Not Available** with L65 on C/K30943, C/K30953. With L65 **Requires** ZE5 on C/K30903, C/K30743..... V10

CONVENIENCE GROUPS:
Power Door Locks. Included with YE9.
Optional with: ..... SAU 1 or 2..... AU3
Tilt Steering and Speed Control. Included with YE9.
Optional with: ..... SAU 1 or 2..... ZQ3

DEFOGGER, REAR WINDOW: Electric. **Requires** C60 with SAU 1 on C/K30743, C/K30943. **Not Available** with A28.
Optional with: ..... SAU 3 or 4 on C/K30953..... C49
..... C/K30743, C/K30943..... C49

FLOOR COVERING:
Carpet.
Optional with: ..... SAU 1 or 2 on C/K30903, C/K30953..... B30
Front Floor Mats. **Requires** B30.
Optional with: ..... SAU 1 or 2 on C/K30903, C/K30953..... B32
Rear Floor Mats. **Requires** B30 and B32. With AE7 **Requires** AM7.
Optional with: ..... SAU 1 or 2 on C/K30953..... B33
Vinyl, Color-Keyed. Replaces carpet. **Deletes** floor mats.
Optional with: ..... SAU 3 or 4 on C/K30903, C/K30953..... BG9

GLASS: Deep Tinted Glass on Quarter and Rear Window. Light tinted glass on all other windows. Light tinted glass on rear window when C49 is specified on C/K30953. Light tinted glass on rear window when A28 is specified on C/K30743, C/K30943. **Requires** A28 on C/K30903..... AJ1

GRILLE: Chrome. Included with YE9. Includes composite halogen headlamps and dual horns.
Optional with: ..... SAU 1..... V22

KEYLESS ENTRY, REMOTE: Two-button key fob remote transmitter. Illuminated entry (dome lamp remains on for 40 seconds or until ignition is engaged). Two key fobs are provided.
Optional with: ..... SAU 3..... AU0

2000 LIGHT DUTY TRUCKS

STEP #4: SELECT ADDITIONAL OPTIONS

Description	Option Code

LAMPS: Roof Marker. Five. Included with R05. Included on C/K30743, C/K30953 ..... U01

LICENSE PLATE BRACKET: Front VK3

MIRROR, REARVIEW: Interior. 254 mm (10") Light Sensitive. Includes a mirror that automatically adjusts to reduce night time glare and a continually recalibrating 8 point compass system. **Not Available** with ZE5. Included with YE9 on C/K30743, C/K30943.
Optional with: ..... SAU 3 on C/K30903, C/K30953 ..... DD7

MIRRORS, EXTERIOR: Left Hand and Right Hand. Camper type. Stainless steel mirror head.
Included with Z81 ..... DF2

MOULDINGS: Bright Body Side. **Not Available** with R05. **Not Available** with C/K30743. Included with R04 on C/K30943. Included on C/K30903 when YE9 and R04 are both specified. On C30903 includes bright wheel opening mouldings.
Optional with: ..... SAU 1 or 2 on C/K30903 ..... B85

PAINT SCHEME: (See Color, Trim and Seat Availability Chart), Solid ZY1

RADIO EQUIPMENT:

Radio Delete (**Deletes** radio, antenna and speakers).
Optional with: ..... SAU 1 or 2 on C/K30743, C/K30943 ..... UL5
..... C/K30903, C/K30953 ..... UL5

Electronically Tuned AM/FM Stereo Radio with Seek-Scan, Cassette Player and Digital Clock. Includes four speakers (two in front doors, two in rear pillar) UM6

Electronically Tuned AM/FM Stereo with Cassette Player, Seek-Scan, Automatic Tone Control and Clock. With ZE5 **Requires** UL2. With YE9 includes six speakers (two high sensitivity speakers in front doors, two tweeters in front door armrests, two speakers in rear pillar) UL0

Electronically Tuned AM/FM Stereo with Compact Disc Player, Seek-Scan, Automatic Tone Control and Clock. Includes six speakers (two high sensitivity speakers in front doors, two tweeters in front door armrests, two speakers in rear pillar).
Optional with: ..... SAU 3 or 4 ..... UN0

Electronically Tuned AM/FM Stereo with Cassette Player and Compact Disc Player, Seek-Scan, Automatic Tone Control and Clock. **Requires** MT1. Includes six speakers (two high sensitivity speakers in front doors, two tweeters in front door armrests, two speakers in rear pillar).
Optional with: ..... SAU 3 or 4 ..... UP0

Electronically Tuned AM/FM Stereo with Cassette, Seek-Scan Data System, Clock. With ZE5 includes four speakers (two in front doors, two in rear pillars). With YE9 includes six speakers (two high sensitivity speakers in front doors, two tweeters in front door armrests, two speakers in rear pillars). **Requires** UL2 ..... UW3

RADIO FREQUENCIES EUROPEAN: Requires UL0 or UW3 ..... UL2

SEAT ADJUSTER, POWER: 6 Way. Driver's side only. **Requires** AE7 or A95. **Not Available** with 'V' trim. **Deletes** the drivers side easy entry feature on C/K30953 models.
Optional with: ..... SAU 3 on C/K30743, C/K30943, C/K30953 ..... AG9

SKID PLATES: Off-Road. Includes shields for engine, front differential and transfer case.
Optional with: ..... K30743, K30903, K30953, K30943 ..... NZZ

SNOW PLOW PREP PROVISIONS: Requires L31 on K30953. Includes F60. Includes heavy duty power steering cooler (radiator support mounted).
Optional with: ..... K30903, K30953 ..... VYU

SPEEDOMETER:

Kilo/Miles, Kilo Odometer, Positive Bias UC2
Kilo/Miles, Kilo Odometer U19

TORSION BARS: Front Heavy Duty. Included with VYU.
Optional with: ..... K30743, K30903, K30953, K30943 ..... F60

STEP #4: SELECT ADDITIONAL OPTIONS

Description	Option Code
TOWING DEVICE: Two front tow hooks. Included on K30743, K30903, K30953, K30943. Optional with: C30743, C30903, C30953, C30943	V76
TRAILERING SPECIAL EQUIPMENT: Heavy Duty. Includes weight distributing platform trailer hitch	Z82
WHEEL TRIM: Rally trim rings and bright hub caps. Included with YE9. Optional with: SAU 1	P06
WINDOW: Sliding Rear. **Not Available** with C49	A28

SPECIAL EQUIPMENT WHEN INSTALLED AT ASSEMBLY PLANT

Description	Order Code	Lead Time Days
ALTERNATOR: 105 Amp. Provides higher output at lower speeds. **Requires** L31. **Not Available** with VYU. Optional with: C/K30903, C/K30943, C/K30953	8W5	42
BOOT COVERS, PROTECTIVE DRIVE AXLE: Provides a ballistic nylon protective cover that sweeps ice, snow, mud and other debris from the lower control arm, resulting in a longer seal life. Recommended for use in severe environments such as mining operations, forestry service, farming and other off-highway uses. Optional with: K30903, K30953	8T7	42
BUMPER, FRONT: Painted black. **Not Available** with VB3. **Not Available** with L65 on C/K30743, C/K30943, C/K30953. Optional with: SAU 1 or 2	8E8	42
CONSOLE DELETE: Requires A95. **Deletes** floor console. **Deletes** roof console on C/K30743, C/K30953, C/K30943	9N5	42
METER, ENGINE HOUR	7Y4	42
MIRRORS, EXTERIOR: Driver and Passenger. **Requires** ZE5. Painted Black. 165.1 x 152.4 mm (6.5" x 6") Plain and Convex. Optional with: SAU 1 or 2 on C/K30903, C/K30953	6M1	42
Stainless Steel. 165.1 x 152.4 mm (6.5" x 6") Plain and Convex. Optional with: SAU 1 or 2 on C/K30903, C/K30953	6L8	42
Stainless Steel. 165.1 x 254 mm (6.5" x 10") Plain and 165.1 x 152.4 mm (6.5" x 6") Convex. Optional with: SAU 1 or 2 on C/K30903, C/K30953	6N9	42
Stainless Steel. 165.1 x 152.4 mm (6.5" x 6") Convex Dual Spot. **Requires** 9F8. Optional with: SAU 1 or 2	9J7	42
West Coast Type. Stainless Steel. Optional with: SAU 1 or 2	9F8	42
Deletion of outside Rearview Mirrors and drilling of holes. Optional with: SAU 1 or 2 on C/K30743, C/K30943	9F2	42
PAINTS: Solid. **Requires** 01U. **Not Available** with ZY1. Wheel flares on K30903, K30943 and K30953 are dark argent. Green, Woodland	9V5	56
Tan, Doeskin	9V9	56
Orange, Tangier	9W4	56
Yellow, Wheatland	9W3	56
SEAT DELETE, FRONT: Provides front bucket type seat belts only. **Not Available** with AE7, A52 or A95. **Not Available** with 132, 262 or 522. Includes folding rear bench seat on C/K30953 models unless 8Q3 is specified. Optional with: C/K30903, C/K30953	8E2	42

2000 LIGHT DUTY TRUCKS

STEP #4: SELECT ADDITIONAL OPTIONS

Description	Order Code	Lead Time Days

SPECIAL EQUIPMENT WHEN INSTALLED AT ASSEMBLY PLANT

SEAT DELETE, REAR: Requires 8E2, AE7 or A95. **Requires** YE9 with AE7.
With YE9 **Deletes** rear mats.
Optional with: ..... C/K30953..... 8Q3 — 42

SECURITY LOCK, SPARE TIRE: Provides a lockable two piece spare tire hoist shaft to deter spare tire theft ..... 8A0 — 42

SPRING, FRONT SUSPENSION: Requires L31 or L65. Provides higher production rated spring. For Vehicle Trim Adjustment. For Hi-Rail Use.
Optional with: ..... C30903, C30953..... 8W9 — 42

SPRING, REAR AUXILIARY: Requires R04. For Vehicle Trim Adjustment.
Optional with: ..... C30903..... 5J9 — 42

TRIM OVERRIDE: Provides cloth seats. **Requires** ZE5 and 'D' code trim.
C/K30903: **Requires** A95.
C/K30953: **Requires** AE7 or A95.
C/K30743, C/K30943: **Requires** A52 or A95 ..... 9X5 — 42

SEATS, FRONT: Requires 9X5.
High Back Reclining Buckets ..... A95 — - -
Split Bench. Includes AM7.
Optional with: ..... C/K30953..... AE7 — - -
Bench.
Optional with: ..... C/K30743, C/K30943..... A52 — - -

STEP #5: SELECT COLOR, TRIM AND PAINT APPLICATION CODE

ZY1 PAINT APPLICATION

REGULAR CAB PICKUP - C/K30903

	Seat Ordering Information			Interior Trim		
Model Option	Type	Seat Material	Option Code	Gray	Blue	Neutral
ZE5	Bench	Vinyl	A52	13V	26V	52V
	Bench	Cloth	A52	13C	26C	52C
YE9	Bench	Custom Cloth	A52	13D	26D	52D
	Bench	Vinyl	A52	13V	26V	52V
	Bench	Leather	A52	♦132	♦262	♦522
	Split Bench	Custom Cloth	AE7	13D	26D	52D
	Split Bench	Leather	AE7	♦132	♦262	♦522
	High Back Buckets	Custom Cloth	A95	13D	26D	52D

EXTENDED-CAB PICKUP - C/K30953

	Seat Ordering Information			Interior Trim		
Model Option	Type	Seat Material	Option Code	Gray	Blue	Neutral
ZE5	Split Bench	Vinyl	AE7	13V	26V	52V
	Split Bench	Cloth	AE7	13C	26C	52C
YE9	Split Bench	Custom Cloth	AE7	13D	26D	52D
	Split Bench	Vinyl	AE7	13V	26V	52V
	Split Bench	Leather	AE7	♦132	♦262	♦522
	High Back Buckets	Custom Cloth	A95	13D	26D	52D
	High Back Buckets	Leather	A95	♦132	♦262	♦522

CREW CAB PICKUP - C/K30743, C/K30943

	Seat Ordering Information			Interior Trim		
Model Option	Type	Seat Material	Option Code	Gray	Blue	Neutral
ZE5	Bench	Vinyl	A52	13V	26V	52V
YE9	Bench	Custom Cloth	A52	13D	26D	52D
	Bench	Leather	A52	♦132	♦262	♦522
	Split Bench	Custom Cloth	AE7	13D	26D	52D
	Split Bench	Leather	AE7	♦132	♦262	♦522
	High Back Bucket	Custom Cloth	A95	13D	26D	52D
	High Back Bucket	Leather	A95	♦132	♦262	♦522

	Exterior Paint Color	Code	Available Combinations			■ Wheel Opening Flare Mouldings
R	Pewter (Met)	11U	X	X	X	Pewter (Met)
R						
	Indigo Blue (Met)	39U	X	X	X	Dark Argent
	Black Onyx	41U	X	---	X	Black Onyx
	Emerald Green (Met)	43U	X	---	X	Dark Argent
	Summit White	50U	X	X	X	Dark Argent
	Dark Toreador Red (Met)	51U	X	---	X	Dark Argent
R						
	Fire Red	74U	X	---	X	Dark Argent

♦ Leather Trim Requires SAU 4. Leather is on seating surfaces only
■ Only included with K30903, K30953 and K30943

DATE: February 14, 2000
REVISION NO: 00-3

GENERAL MOTORS OVERSEAS DISTRIBUTION CORPORATION

2000

UPDATE

GMC

SIERRA 3500 (Carryover)

TRUCK TECHNICAL PAGES

Attached is revision 00-3 of the Light Duty Truck Technical Pages.

The information contained in the Technical Pages is confidential and should not be disclosed to unauthorized persons or used for non-business purposes.

MODEL SELECTION SUMMARY

SERIES	MODEL NUMBER/ BODY CODE/ OPTION CODE	PASSENGER CAPACITY (STD/OPT)	STANDARD ENGINE/ TRANS	OPTIONAL ENGINE/ TRANS	GVWR KG (LB)	GAWR KG (LB) FRONT/ REAR	MAXIMUM PAYLOAD KG (LB)	MAX GROSS TRAILER WT/ TONGUE LOAD KG (LB)
TWO-WHEEL-DRIVE MODELS								
C3500 REGULAR CAB								
WIDESIDE LONG BOX	C30903/E63/ R04	3/2	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	4082 (9000)	1633/2760 (3600/6084)	1839 (4055)	3901/* (8600) 4536/* (10000) 4218/* (9300)
WIDESIDE LONG BOX DUAL REAR WHEELS	C30903/E63/ R05	3/2	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	4536 (10000)	1633/3402 (3600/7500)	2167 (4778)	4536/* (10000) 4536/* (10000) 4218/* (9300)
C3500 EXTENDED CAB								
WIDESIDE LONG BOX DUAL REAR WHEELS	C30953/E63/ R05	6/5/3	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	4536 (10000)	1633/3402 (3600/7500)	1996 (4401)	3901/* (8600) 4536/* (10000) 4218/* (9300)
C3500 CREW CAB								
DUAL REAR WHEELS SHORT BOX	C30743/E63/ R05	6/5	7400 V8/M5	7400 V8/A4 6.5L V8/M5/A4	4264 (9400)	1860/2760 (4100/6084)	1580 (3484)	4536/* (10000) 4218/* (9300)
SINGLE REAR WHEELS	C30943/E63/ R04	6/5	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	4082 (9000)	1860/2760 (4100/6084)	1512 (3335)	3901/* (8600) 4536/* (10000) 4218/* (9300)
SINGLE REAR WHEELS CAMPER SPECIAL	C30943/E63/ R04/Z81	6/5	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	3455 (9600)	1860/2760 (4100/6084)	1737 (3829)	3901/* (8600) 4536/* (10000) 4218/* (9300)
DUAL REAR WHEELS	C30943/E63/ R05	6/5	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	4536 (10000)	1860/3402 (4100/7500)	1839 (4055)	4536/* (10000) 4536/* (10000) 4218/* (9300)

*Trailer tongue weight should be 10 to 15% of total loaded trailer weight (up to 1000 lbs).

MODEL SELECTION SUMMARY (CONT'D)

SERIES	MODEL NUMBER/ BODY CODE/ OPTION CODE	PASSENGER CAPACITY (STD/OPT)	STANDARD ENGINE/ TRANS	OPTIONAL ENGINE/ TRANS	GVWR KG (LB)	GAWR KG (LB) FRONT/ REAR	MAXIMUM PAYLOAD KG (LB)	MAX GROSS TRAILER WT/ TONGUE LOAD KG (LB)
FOUR-WHEEL-DRIVE MODELS								
K3500 REGULAR CAB								
WIDESIDE LONG BOX	K30903/E63/ R04	3/2	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	4173 (9200)	2041/2760 (4500/6084)	1764 (3890)	3765/* (8300) 4536/* (10000) 4082/* (9000)
WIDESIDE LONG BOX DUAL REAR WHEELS	K30903/E63/ R05	3/2	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	4536 (10000)	2041/3402 (4500/7500)	1998 (4406)	3765/* (8300) 4536/* (10000) 4082/* (9000)
K3500 EXTENDED CAB								
WIDESIDE LONG BOX DUAL REAR WHEELS	K30953/E63/ R05	6/5/3	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	4536 (10000)	2041/3402 (4500/7500)	1802 (3974)	3765/* (8300) 4536/* (10000) 4082/* (9000)
K3500 CREW CAB								
DUAL REAR WHEELS	K30743/E63/ R05	6/5	7400 V8/M5	7400 V8/A4 6.5L V8/M5/A4	4264 (9400)	2041/2760 (4500/6084)	1376 (3034)	4536/* (10000) 4082/* (9000)
SINGLE REAR WHEELS	K30943/E63/ R04	6/5	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	4173 (9200)	2041/2760 (4500/6084)	1381 (3046)	3765/* (8300) 4536/* (10000) 4082/* (9000)
DUAL REAR WHEELS	K30943/E63/ R05	6/5	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	4536 (10000)	2041/3402 (4500/7500)	1608 (3546)	4536/* (10000) 4536/* (10000) 4082/* (9000)

POWERTRAINS

ENGINES

ENGINE	VORTEC 5700 V8 HD		VORTEC 7400 V8 HD	6.5L V8 TURBO DIESEL[1]
Order Code	L31 (Standard)		L29	L65
Availability	Below 4536 kg (10000 lb) GVWR	At 4536 kg (10000 lb) GVWR	All models	All models
SAE Net Kilowatts @ rpm (Horsepower @ rpm)	190 @ 4600 (255 @ 4600)	187 @ 4200 (250 @ 4200)	216 @ 4000 (290 @ 4000)	145 @ 3400 (195 @ 3400)
SAE Net Torque N-m @ rpm (lb-ft @ rpm)	447 @ 2800 (330 @ 2800)	447 @ 2800 (330 @ 2800)	556 @ 3200 (410 @ 3200)	583 @ 1800 (430 @ 1800)
Fuel System	SFI		SFI	Indirect Fuel Injection
Hydraulic Clutch Control Clutch Size mm (in.)	305 (12)		305 (12)	305 (12)
Standard Battery (12-volt, negative ground Delco Freedom 2 Plus) Cold Cranking Amps @ -17.8° C (0° F)	600		600	2 @ 600 each
Standard Delcotron Alternator Maximum Capacity Amps	100		124	100

[1]Diesel equipment includes a 100-amp alternator, dual batteries with 600 cold cranking amps for reserve starting power, a block heater and glow plugs and a sophisticated fuel filtration system which includes an integral two-stage fuel filter, a water separator with an instrument panel warning light, a water drain and a fuel heater.

Specifications Subject to Change Without Notice.
GENERAL MOTORS OVERSEAS DISTRIBUTION CORPORATION

POWERTRAINS (CONT'D)

TRANSMISSIONS

	MANUAL	AUTOMATIC
	MANUAL 5-SPEED W/OVERDRIVE AND DEEP LOW HEAVY-DUTY	ELECTRONICALLY CONTROLLED AUTOMATIC 4-SPEED W/OVERDRIVE HEAVY-DUTY (4L80-E)
Transmission Order Code	MW3 (Standard)	MT1
Synchronized Speeds	1/2/3/4/5	—
Gear Ratios		
First	5.61	2.48
Second	3.04	1.48
Third	1.67	1.00
Fourth	1.00	0.75
Fifth	0.75	–
Reverse	5.61	2.08
Power Take-Off	Yes	No

FRONT AXLES

Availability	K30903/K30953	K30943	
Make/Capacity kg (lb)	American Axle/1928 (4250)	American Axle/2041 (4500)	
Pinion and Ring Gear Type	Hypoid	Hypoid	
Ratio	4.10	4.10	4.56
Pinion Teeth	10	10	9
Ring Gear Teeth	41	41	41
Ring Gear Diameter mm	235	248	248
(in.)	(9.25)	(9.75)	(9.75)

REAR AXLES

Availability	R04 Models	R05 Models	
Make/Capacity kg (lb)	American Axle/ 2760 (6084) Full-Floating	American Axle/ 3402 (7500) Full-Floating	
Pinion and Ring Gear Type	Hypoid	Hypoid	
Axle Ratio Code	GT5 (Standard)	GT5 (Standard)	HC4
Ratio	4.10	4.10	4.56
Pinion Teeth	10	10	9
Ring Gear Teeth	41	41	41
Ring Gear Diameter mm	267	267	267
(in.)	(10.5)	(10.5)	(10.5)

BRAKES

Type	Power 4-Wheel Anti-Lock	Power 4-Wheel Anti-Lock
Application	K30903/K30943 with R04	C30903/C/K30953/C30943/ K30903/K30943 with R05
Front Rotor Size mm (in.)	Disc 318 (12.5)	Disc 318 (12.5)
Rear Size mm (in.)	Drum 330 x 88.9 (13 x 3.5)	Drum 330 x 88.9 (13 x 3.5)
Booster Type	Vacuum/Hydraulic	Hydraulic
Parking Brake Type Operation	Cable to Rear Wheels Pedal	Cable to Rear Wheels Pedal

STANDARD CHASSIS FEATURES

COOLING	Extra capacity engine oil cooler
ENGINE BLOCK HEATER	
EXHAUST SYSTEM	
Type	Aluminized stainless steel single exhaust with converter and muffler with two tailpipes
FRAME	
Type	All-welded ladder-type with channel design and boxed front section
Material	Carbon steel
Yield Strength	36,000 PSI
FUEL TANK	
Location	Forward of rear axle between frame rail and propshaft Includes plastic bathtub-type shield
Fuel Filter	Located in fuel feed line
Capacity (approx.)	
C/K 30903/30953/30943	128.8 litres (28.3 imperial gal)
C/K 30743	94.6 litres (20.8 imperial gal)
GVWR	
C6U	
C30903/30943	4082 kg (9000 lb)
C6W	
K30903/K30943	4173 kg (9200 lb)
C6E	
C/K30743	4264 kg (9400 lb)
C7A	
Dual Rear-Wheel Models	4536 kg (10000 lb)
STEERING	
Type	Integral Power/Speed Sensitive Electronic Variable Orifice (EVO)

SUSPENSION, FRONT	Independent
Capacity	
C30903/30953/30943/30743	1860 kg (4100 lb)
K30903/30953/30943/30743	2041 kg (4500 lb)
2WD springs	Coil
Capacity	
C30903/30953	817-930 kg (1800-2050 lb) each
C30943/30743	930 kg (2050 lb) each
4WD springs	Torsion bars
Capacity	
K30903/30953/30943/30743	1021 kg (2250 lb) each
Shock absorbers	35mm (1.38") piston diameter
Stabilizer bar	Heavy-duty
SUSPENSION, REAR	
Springs	Two-stage multi-leaf
Capacity (R04)	1380 kg (3042 lb) each
C30943 w/R04&C6Y	1701 kg (3750 lb) each
Capacity (R05)	1701 kg (3750 lb) each
Shock absorbers	32mm (1.25") piston diameter
TRANSFER CASE	
Availability	K30903/30953/30943/30743
Type/Model	Borg Warner/4401
Controls	Floor mounted
WHEELS	
Type	
C/K30903/C/K30943	Five disc, steel, painted silver
C/K30743	Seven disc, steel, painted silver
C/K30953	
Size	
C/K30903/C/K30943	406mm x 165mm K (16"x 6.5")
C/K30743	406mm x 152mm K (16"x 6")
C/K30953	
Attachment	8 bolts

TIRES

KEY: AS = ALL-SEASON SBR = STEEL-BELTED RADIAL PLY BW = BLACKWALL WW = WHITEWALL WL = WHITE LETTERED HWY = HIGHWAY BL = BLACK LETTERED ON-OFF = ON-OFF ROAD WOL = WHITE OUTLINE LETTERED

TIRE DESCRIPTION		FRONT/REAR/SPARE
LT215/85R16D	HWY/SBR/BW	YYK
LT215/85R16D	ON-OFF/SBR/BW	YYL
LT225/75R16D	AS/SBR/BW	YHP (Standard C/K 30953/C/K30743)
LT225/75R16D	ON-OFF/SBR/BW[1]	YHR
LT245/75R16E	AS/SBR/BW	YHH (Standard C/K30903/C/K30943)
LT245/75R16E	ON-OFF/SBR/BW	YGK

[1]An all-season front tire is featured on C30903, C30953 and C30943 with RO5 and C7A.

DIMENSIONS

MODEL	REGULAR CAB/EXTENDED CAB		CREW CAB	
MODEL NUMBER	C/K 30903 C/K 30953		C/K 30943 C/K 30743	
OPTION CODE	R04	R05	R04	R05
EXTERIOR DIMENSIONS				
BODY Wheelbase mm (in.)				
Regular Cab	3340 (131.5)		—	
Extended Cab	3950 (155.5)		—	
Crew-Cab SB/LB	—		3924 (154.5)/4280 (168.5)	
Overall Length mm (in.) w/o Rear Bumper				
Regular Cab	5420 (213.4)		—	
Extended Cab	6030 (237.4)		—	
Crew-Cab SB/LB	—		5890 (231.9) /6373 (250.9)	
Overall Height mm (in.)				
Regular Cab-2WD	1864 (73.4)	1859 (73.2)	—	
Regular Cab-4WD	1880 (74.0)	1880 (74.0)	—	
Extended Cab-2WD	—	1844 (72.6)	—	
Extended Cab-4WD	—	1864 (73.4)	—	
Crew-Cab 2WD	—	—	1877 (73.9)	
Crew-Cab 4WD	—	—	1892 (74.5)	
Maximum Width mm (in.)	1956 (77.0)	2395 (94.3)	1956 (77.0)	2395 (94.3)
Bumper to Axle mm (in.)				
Front	899 (35.4)		899 (35.4)	
Rear Overhang (w/o bumper)	1181 (46.5)		1181(46.5)	
Cab to Rear Axle mm (in.)	1420 (55.9)		1420 (55.9)	
Cab to End of Frame mm (in.)	2479 (97.6)		2479 (97.6)	
Bumper to Back of Cab mm (in.)				
Regular Cab	2819 (111.0)		—	
Extended Cab	3429 (135.0)		—	
Crew-Cab	—		3772 (148.5)	
Ground to Top of Rear Load Floor mm (in.)				
Regular Cab-2WD	897 (35.3)	917 (36.1)	869 (34.2)	881 (34.7)
Regular Cab-4WD	894 (35.2)	909 (35.8)	869 (34.2)	881 (34.7)
Extended Cab-2WD	—	866 (34.1)	—	—
Extended Cab-4WD	—	866 (34.1)	—	—
Ground Clearance mm (in.) Front/Rear				
Regular Cab-2WD	213/163 (8.4/6.4)		—	
Regular Cab-4WD	160/163 (6.3/6.4)		—	
Extended Cab-2WD	203/163 (8.0/6.4)		—	
Extended Cab-4WD	160/163 (6.3/6.4)		—	
Crew-Cab 2WD	—		191/163 (7.5/6.4)	
Crew-Cab 4WD	—		185/163 (7.3/6.4)	
Turning Diameter Curb -to-Curb m (ft)				
Regular Cab-2WD/4WD	13.23/13.72 (43.4/45.0)		—/—	
Extended Cab-2WD/4WD	15.30/15.82 (50.2/51.9)		—/—	
Crew-Cab-2WD/4WD	—/—		16.40/16.98 (53.8/55.7)	
CARGO BOX Inside Length @ Floor mm (in.)	2479 (97.6)		2001/ (78.8)/ 2479 (97.6)	
Inside Width @ Top mm (in.)				
Rear	1529 (60.2)		1529 (60.2)	
Inside Width @ Floor mm (in.)	1636 (64.4)		1636 (64.4)	
Inside Width @ Wheelhousings mm (in.)	1247 (49.1)		1247 (49.1)	
Inside Height (in.)	488 (19.2)		488 (19.2)	
Tailgate Width mm (in.) Top	1575 (62.0)		1575 (62.0)	
Cargo Volume litres (cu ft)	1957 (69.1)		1957 (69.1)	
SIGN PANEL AREA mm (in.)				
Regular Cab	432 x 1238 (17 x 48.75)		—	
Extended Cab	432 x 1969 (17 x 77.5)		—	
Crew Cab	—		432 x 2159 (17 x 85)	

DIMENSIONS (CONT'D)

MODEL	REGULAR CAB/EXTENDED CAB		CREW CAB	
MODEL NUMBER	C/K 30903 C/K 30953		C/K 30943	
OPTION CODE	R04	R05	R04	R05
INTERIOR DIMENSIONS				
CAB Headroom mm (in.) Front/Rear[1]	1013/953 (39.9/37.5)		1013/1036 (39.9/40.8)	
Legroom mm (in.) Front/Rear[1]	1059/884 (41.7/34.8)		1059/963 (41.7/37.9)	
Shoulder Room mm (in.) Front/Rear[1]	1661/1717 (65.4/67.6)		1661/1648 (65.4/64.9)	
Hip Room mm (in.) Front/Rear[1]	1524/1631 (60.0/64.2)		1524/1506 (60.0/59.3)	
Extended Cab Cargo Volume w/o Rear Seat litres (cu ft)	1147 (40.5)		—	

[1] Rear dimensions apply to Extended Cab and Crew Cab models.